

DATASHEET

Magnetically coupled pump

Safe to run dry

RM-TS 3 Type 16/200


Motor output
0,55kW ; 0,75kW ; 1,1kW
2900 or 3450 rpm [2-pol.]




Magnetically coupled, centrifugal pumps, single-stage, horizontal, non self-priming, made in monobloc design.

		RM-TS 3 Type 16/200		
Motor output	[kW]	0,55	0,75	1,1
Rated current @ 400V 50Hz 3ph.	[A]	1,45	1,9	3,0
Rated current @ 230V 50Hz 1ph.	[A]	3,5	4,8	6,4
Head max.	[mWS]	17	17	17
Capacity max.	[l/min.]	200	200	200
Density max. @ Qmax	[g/cm³]	1,15	1,5	2,2
Length „L“	[mm]	341	417	430

Materials:




Technical data

Medium-temperature max.	PP PVDF	80 °C 95 °C	<div style="text-align: center;"> <h3>Flow curves RM-TS 3 Type 16/200</h3> <p>Speed: 2900 rpm @ 50Hz or 3450 rpm @ 60Hz</p> <p>Values based on water at 20 °C (68 °F) / Measured value +/- 10%</p> <p>Subject to technical alterations !</p> </div>
System-pressure max.	PP PVDF	2,5 bar 3,5 bar	
Viscosity	< 160 Pa s		
Electrical motor	3-ph. motors, 50 and 60Hz, IE2, IE3 or IE4 Protection IP55, Isolationclass F , Chemical resistant 2K- painting RAL5011		
Options	<i>Thermal protection, other voltages / frequencies, UL, CSA, Special paintings and colors</i> 		

DATASHEET
Magnetically coupled pump
 Safe to run dry


RM-TS 3 Type 16/200

Motor output
 0,55kW ; 0,75kW ; 1,1kW
 2900 or 3450 rpm [2-pol.]




Dimensional drawings [mm]

Motor output 0,55kW 2-pol.



Motor output 0,75kW – 1,1kW 2-pol.




Motor dimensions can be different ! ● Subject to technical alterations !




DATASHEET
Magnetically coupled pump
 Safe to run dry

RM-TS 3 Type 16/200

Motor output
 0,55kW ; 0,75kW ; 1,1kW
 2900 or 3450 rpm [2-pol.]



Accessories / Options

Hose connection	Flange (DIN, ANSI)	NPT - Adapter
 <p>26mm 32mm 40mm</p>	 <p>DN40 PN10 (DIN EN 1092-3) DN50 PN10 (DIN EN 1092-3) 1.5" (ANSI Class 150) 2" (ANSI Class 150)</p>	 <p>NPT (M) 1" NPT (M) 1.5"</p>

Subject to technical alterations !